Metabolic Assessment Form

Name:	Age:	Sex:	Date:	
PART I				
Please list your 5 major health concerns in order of	importance:			
1				
2.				
3.				
4.				
5.			·	

PART II Please circle the appropriate number on all questions below. 0 as the least/never to 3 as the most/always.

o as the least/flevel to 5 as th		OSt	,	·uy
Category I Feeling that bowels do not empty completely Lower abdominal pain relieved by passing stool or gas Alternating constipation and diarrhea Diarrhea Constipation Hard, dry, or small stool Coated tongue or "fuzzy" debris on tongue Pass large amount of foul-smelling gas More than 3 bowel movements daily Use laxatives frequently	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3
Category II Increasing frequency of food reactions Unpredictable food reactions Aches, pains, and swelling throughout the body Unpredictable abdominal swelling Frequent bloating and distention after eating Abdominal intolerance to sugars and starches	0 0 0 0 0	1 1 1 1 1 1	2 2 2 2 2 2 2	3 3 3 3 3
Category III Intolerance to smells Intolerance to jewelry Intolerance to shampoo, lotion, detergents, etc. Multiple smell and chemical sensitivities Constant skin outbreaks	0 0 0 0	1 1 1 1	2 2 2 2 2 2	3 3 3 3
Category IV Excessive belching, burping, or bloating Gas immediately following a meal Offensive breath Difficult bowel movement Sense of fullness during and after meals Difficulty digesting fruits and vegetables; undigested food found in stools	0 0 0 0 0	1 1 1 1 1	2 2 2 2 2 2	3 3 3 3 3
Category V Stomach pain, burning, or aching 1-4 hours after eating Use antacids Feel hungry an hour or two after eating Heartburn when lying down or bending forward Temporary relief by using antacids, food, milk, or carbonated beverages Digestive problems subside with rest and relaxation	0 0 0 0	1 1 1 1 1	2 2 2 2 2 2	3 3 3 3 3
Heartburn due to spicy foods, chocolate, citrus, peppers, alcohol, and caffeine Category VI Roughage and fiber cause constipation Indigestion and fullness last 2-4 hours after eating Pain, tenderness, soreness on left side under rib cage Excessive passage of gas	0 0 0 0	1 1 1 1 1	2 2 2 2 2	3 3 3 3

Category VI (continued) Nausea and/or vomiting	0	1	2	3
Stool undigested, foul smelling, mucous like, greasy, or poorly formed Frequent urination Increased thirst and appetite	0 0 0	1 1 1	2 2 2	3 3 3
Category VII Greasy or high-fat foods cause distress	0	1	2	3
Lower bowel gas and/or bloating several hours after eating Bitter metallic taste in mouth, especially in the morning Burpy, fishy taste after consuming fish oils Difficulty losing weight Unexplained itchy skin	0 0 0 0 0	1 1 1 1	2 2 2 2 2	3 3 3 3
Yellowish cast to eyes Stool color alternates from clay colored to normal brown Reddened skin, especially palms Dry or flaky skin and/or hair History of gallbladder attacks or stones Have you had your gallbladder removed?	0 0 0 0	1 1 1 1 1 Yes	2 2 2 2 2 No	3 3 3 3
Category VIII Acne and unhealthy skin Excessive hair loss Overall sense of bloating Bodily swelling for no reason Hormone imbalances Weight gain Poor bowel function Excessively foul-smelling sweat	0 0 0 0 0 0 0	1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3
Category IX Crave sweets during the day Irritable if meals are missed Depend on coffee to keep going/get started Get light-headed if meals are missed Eating relieves fatigue Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3
Category X Fatigue after meals Crave sweets during the day Eating sweets does not relieve cravings for sugar Must have sweets after meals Waist girth is equal or larger than hip girth Frequent urination Increased thirst and appetite Difficulty losing weight	0 0 0 0 0 0 0	1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	3 3 3 3 3 3

Category XI					Category XVII			
Cannot stay asleep	0	1	2	3	Increased sex drive	0	1	2 3
Crave salt	0	1	2	3	Tolerance to sugars reduced	0	1	2 3
Slow starter in the morning	0	1	2	3	"Splitting" - type headaches	0	1	2 3
Afternoon fatigue	0	1	2	3	Category XVIII (Males Only)			
Dizziness when standing up quickly	0	1	2	3	Urination difficulty or dribbling	0	1	2 3
Afternoon headaches	0	1	2	3	Frequent urination	0	1	2 3
Headaches with exertion or stress	0	1	2	3	Pain inside of legs or heels	-	1	2 3
Weak nails	0	1	2	3	Feeling of incomplete bowel emptying		1	2 3
Category XII					Leg twitching at night	0	1	2 3
Cannot fall asleep	0	1	2	3	Leg twitching at hight	U	1	2 3
Perspire easily	0	1	2	3	Category XIX (Males Only)			
Under high amount of stress	0	1	2	3	Decreased libido	0	1	2 3
Weight gain when under stress	0	1	2	3	Decreased number of spontaneous morning erections	0	1	2 3
Wake up tired even after 6 or more hours of sleep	0	1	2	3	Decreased fullness of erections	0	1	2 3
Excessive perspiration or perspiration with little					Difficulty maintaining morning erections	0	1	2 3
or no activity	0	1	2	3	Spells of mental fatigue	0	1	2 3
Category XIII					Inability to concentrate	0	1	2 3
Edema and swelling in ankles and wrists	0	1	2	3	Episodes of depression	0	1	2 3
Muscle cramping	0	1	2	3	Muscle soreness	0	1	2 3
Poor muscle endurance	0	1	2	3	Decreased physical stamina	0	1	2 3
Frequent urination	0	1	2	3	Unexplained weight gain	0	1	2 3
Frequent thirst	0	1	2	3	Increase in fat distribution around chest and hips	0	1	2 3
Crave salt	0	1	2	3	Sweating attacks	0	1	2 3
Abnormal sweating from minimal activity	0	1	2	3	More emotional than in the past	0	1	2 3
Alteration in bowel regularity	0	1	2	3	1 1	~	-	
Inability to hold breath for long periods	0	1	2	3	Category XX (Menstruating Females Only)			
Shallow, rapid breathing	0	1	2	3	Perimenopausal		<i>les</i>	No
	U	•	_		Alternating menstrual cycle lengths			No
Category XIV					Extended menstrual cycle (greater than 32 days)		<i>les</i>	No
Tired/sluggish	0	1	2	3	Shortened menstrual cycle (less than 24 days)		es	No
Feel cold—hands, feet, all over	0	1	2	3	Pain and cramping during periods	0	1	2 3
Require excessive amounts of sleep to function properly		1	2	3	Scanty blood flow	0	1	2 3
Increase in weight even with low-calorie diet	0	1	2	3	Heavy blood flow	0	1	2 3
Gain weight easily	0	1	2	3	Breast pain and swelling during menses	0	1	2 3
Difficult, infrequent bowel movements	0	1	2	3	Pelvic pain during menses	0	1	2 3
Depression/lack of motivation	0	1	2	3	Irritable and depressed during menses	0	1	2 3
Morning headaches that wear off as the day progresses	0	1	2	3	Acne	0	1	2 3
Outer third of eyebrow thins	0	1	2	3	Facial hair growth	0	1	2 3
Thinning of hair on scalp, face, or genitals, or excessive	0		2	2	Hair loss/thinning	0	1	2 3
hair loss	0	1	2	3	Cotogory VVI (Mananausal Famales Only)			
Dryness of skin and/or scalp	0	1	2	3	Category XXI (Menopausal Females Only) How many years have you been menopausal?			****
Mental sluggishness	0	1	2	3	Since menopause, do you ever have uterine bleeding?		Jos	_ years No
Category XV								
Heart palpitations	0	1	2	3	Hot flashes	0	1	
Inward trembling	0	1	2	3	Mental fogginess	0	1	2 3
Increased pulse even at rest	0	1	2	3	Disinterest in sex	0	1	2 3
Nervous and emotional		1	2	3	Mood swings	0	1	2 3
Insomnia		1		3	Depression		1	2 3
Night sweats		1		3	Painful intercourse		1	2 3
Difficulty gaining weight	0	1	2	3	Shrinking breasts		1	2 3
Category XVI					Facial hair growth		1	
Diminished sex drive	0	1	2	3	Acne		1	
Menstrual disorders or lack of menstruation	0	1	2	3	Increased vaginal pain, dryness, or itching	0	1	2 3
Increased ability to eat sugars without symptoms	0	1	2					
increased donity to cat sugars without symptoms	U	•		3				
PART III								
How many alcoholic beverages do you consume per week	?				Rate your stress level on a scale of 1-10 during the average	week		
How many caffeinated beverages do you consume per week					-	Week	-	
	′′ —			-	How many times do you eat fish per week?			
How many times do you eat out per week?					How many times do you work out per week?			
How many times do you eat raw nuts or seeds per week?								
List the three worst foods you eat during the average week	Σ:	_						_
List the three healthiest foods you eat during the average v	veek	:	_					
PART IV								
Please list any medications you currently take and for	who	t co	ndit	ione				
Trouse list any incurcations you currently take and for	,, 11A		iuit	.0113.				

Copyright © 2012, Datis Kharrazian. All Rights Reserved. SMGEMAF04(052212)

Please list any natural supplements you currently take and for what conditions:

Health Questionnaire (NTAF)

Name:			A	ge:	Sex: Date:				
* Please circle the appropriate number "0 - 3" on all questi	ions	bel		_					
SECTION A					How often do you feel you lack artistic appreciation?	0	1	2	3
• Is your memory noticeably declining?	0	1	2	3	How often do you feel depressed in overcast weather?	0	1		3
Are you having a hard time remembering names			_	_	How much are you losing your enthusiasm for your	•	•	-	
and phone numbers?	0	1	2	3	favorite activities?	0	1	2	3
Is your ability to focus noticeably declining? Has it become bonder for your to learn things?	0	1	2	3	How much are you losing enjoyment for				
Has it become harder for you to learn things? Have often do you have a hard time remembering.	0	1	2	3	your favorite foods?	0	1	2	3
How often do you have a hard time remembering your appointments?	Λ	1	2	2	How much are you losing your enjoyment of				
your appointments? • Is your temperament getting worse in general?	O O	1	2	3	friendships and relationships?	0	1	2	3
 Are you losing your attention span endurance? 	0	1	2	3	How often do you have difficulty falling into				
How often do you find yourself down or sad?	0	1	2	3	deep restful sleep?	0	1	2	3
How often do you fatigue when driving compared	U	1	4	3	 How often do you have feelings of dependency 				
to the past?	0	1	2	3	on others?	0	1	2	3
How often do you fatigue when reading compared	U	1	_	3	 How often do you feel more susceptible to pain? 	0	1		3
to the past?	0	1	2	3	 How often do you have feelings of unprovoked anger? 	0	1		3
How often do you walk into rooms and forget why?	0	1	2	3	 How much are you losing interest in life? 	0	1	2	3
How often do you pick up your cell phone and forget why?	0	1	2						
Tion often do you pron up your con phone and forget why	v	•	_	J	SECTION 2 - D				
SECTION B					 How often do you have feelings of hopelessness? 	0		2	
How high is your stress level?	0	1	2	3	 How often do you have self-destructive thoughts? 	0	1		3
How often do you feel that you have something that	-	_		-	 How often do you have an inability to handle stress? 	0	1	2	3
must be done?	0	1	2	3	How often do you have anger and aggression while			_	
 Do you feel you never have time for yourself? 	0	1	2	3	under stress?	0	1	2	3
How often do you feel you are not getting enough					How often do you feel you are not rested even after			•	_
sleep or rest?	0	1	2	3	long hours of sleep?	0	1		3
• Do you find it difficult to get regular exercise?	0	1	2	3	How often do you prefer to isolate yourself from others?	0	1	2	3
 Do you feel uncared for by the people in your life? 	0	1	2	3	How often do you have unexplained lack of concern for	Λ	1	2	2
 Do you feel you are not accomplishing your 					family and friends?	0	1		3
life's purpose?	0	1	2	3	How easily are you distracted from your tasks? How after the year base are including to faith tools?	0	1		3
• Is sharing your problems with someone difficult for you?	0	1	2	3	How often do you have an inability to finish tasks? How often do you feel the model to consume deficing to	U	1	4	3
					How often do you feel the need to consume caffeine to stay alert?	0	1	2	3
SECTION C					How often do you feel your libido has been decreased?	0	1		3
					How often do you lose your temper for minor reasons?	0	1		3
SECTION C1					How often do you lose your temper for filmor reasons? How often do you have feelings of worthlessness?	0	1		3
How often do you get irritable, shaky, or have					Trow often do you have reenings of worthnessness:	v	•	_	
lightheadedness between meals?	0	1	2	3	SECTION 3 - G				
How often do you feel energized after eating?	0	1	2	3	How often do you feel anxious or panic for no reason?	0	1	2	3
How often do you have difficulty eating large			•	•	How often do you have feelings of dread or	_			_
meals in the morning?	0	1	2	3	impending doom?	0	1	2	3
• How often does your energy level drop in the afternoon?	0	1	2	3	How often do you feel knots in your stomach?		1	2	
• How often do you crave sugar and sweets in the afternoon?	0	1	2	3	How often do you have feelings of being overwhelmed				
How often do you wake up in the middle of the night? How often do you have difficulty concentrating.	0	1	2	3	for no reason?	0	1	2	3
 How often do you have difficulty concentrating before eating? 			•	•	How often do you have feelings of guilt about				
 How often do you depend on coffee to keep yourself going? 	0	1	2 2	3	everyday decisions?	0	1	2	3
How often do you depend on confect to keep yourself going? How often do you feel agitated, easily upset, and nervous	0	1	2	3	 How often does your mind feel restless? 	0	1	2	3
between meals?	0	1	2	3	How difficult is it to turn your mind off when you				
octween means.	U	1	4	3	want to relax?	0	1	2	3
SECTION C2					 How often do you have disorganized attention? 	0	1	2	I 3
• Do you get fatigued after meals?	Λ	1	2	2	 How often do you worry about things you were 				
• Do you crave sugar and sweets after meals?	0	1 1	2	3	not worried about before?	0	1	2	3
• Do you feel you need stimulants such as coffee after meals?	0	1	2	3	 How often do you have feelings of inner tension and 				
• Do you have difficulty losing weight?	0	1	2	3	inner excitability?	0	1	2	3
How much larger is your waist girth compared to	U	1	4	3					
your hip girth?	0	1	2	3	SECTION 4 - ACH				
How often do you urinate?	0	1	2	3	 Do you feel your visual memory (shapes & images) 				
• Have your thirst and appetite been increased?	0	1	2	3	is decreased?	0	1		3
• Do you have weight gain when under stress?	0	1		3	 Do you feel your verbal memory is decreased? 	0	1		3
• Do you have difficulty falling asleep?	0	1	2	3	• Do you have memory lapses?	0	1	2	
, , , , ,	U	•	_	3	Has your creativity been decreased?	0	1		3
SECTION 1 - S					Has your comprehension been diminished?	0	1		3
• Are you losing your pleasure in hobbies and interests?	0	1	2	3	• Do you have difficulty calculating numbers?	0	1		3
• How often do you feel overwhelmed with ideas to manage?	0	1		3	Do you have difficulty recognizing objects & faces?	0	1	2	3
• How often do you have feelings of inner rage (anger)?	0	1		3	Do you feel like your opinion about yourself	^		_	_
 How often do you have feelings of paranoia? 	0	1	2	3	has changed?	U	1	2	
 How often do you feel sad or down for no reason? 	0	1	2	3	Are you experiencing excessive urination? Are you experiencing slavyer mental response?	0	1 1		3
 How often do you feel like you are not enjoying life? 	0	1	2		 Are you experiencing slower mental response? 	v	1	4	3

Medication History

Please circle any of the following medication you have been or are currently taking.

Acetylcholine Receptor Antagonist - Antimuscarinic Agents

Atropine, Ipratopium, Scopolamine, Tiotropium

Acetylcholine Receptor Antagonist - Ganlionic Blockers

Mecamylamine, Hexamethonium, Nicotine (high doses), Trimethaphan

Acetylcholinesterase Reactivators

Pralidoxime

Acetylcholine Receptor Antagonist - Neuromuscular Blockers

Atracurium, Cisatracurium, Doxacurium, Metocurine, Mivacurium, Pancuronium, Rocuronium, Uccinylcholine, Tubocurarine, Vecuronium, Hemicholine

Agonist Modulator of GABA Receptor (benzodiazpines)

Xanax, Lexotanil, Lexotan, Librium, Klonopin, Valium, ProSon, Rohypnol, Dalmane, Ativan, Loramet, Sedoxil, Dormicum, Megadon, Serax, Restoril, Halcion

Agonist Modulator of GABA Receptors (nonbenzodiazpines)

Ambien, Sonata, Lunesta, Imovane

Cholinesterase Inhibitors (irreversible)

Echotiophate, Isoflurophate, Organophosphate Insecticides, Organophosphate-containing nerve agents

Cholinesterase Inhibitors (reversible)

Donepezil, Galatamine, Rivastigmine, Tacrine, THC, Erophonium, Neostigmine, Phystigimine, Pyridostigmine, Carbamate Insecticidses

Dopamine Reuptake Inhibitors

Wellbutrin (Bupropion)

Dopamine Receptor Agonists

Mirapex, Sifrol, Requip

D2 Dopamine Receptor Blockers (antipsychotics)

Thorazine, Prolixin, Trilafon, Compazine, Mellaril, Stelazine, Vesprin, Nozinan, Depixol, Navane, luanxol, Clopixol, Acuphase, Haldol, Orap, Clozaril, Zyprexa, Zydis, Seroquel, Geodon, Solian, Invega, Abilify

GABA Antagonist Competitive binder

Flumazenil

Monoamine Oxidase Inhibitor (MAOI)

Marplan, Aurorix, Maneric, Moclodura, Nardil, Adlegiine, Elepryl, Azilect, Marsilid, Iprozid, Ipronid, Rivivol, Popilniazida, Zyvox, Zyvoxid

Noradrenergic and Specific Sertonergic Antidepressants (NaSSaa)

Remeron, Zispin, Avanza, Norset, Remergil, Axit

Selective Serotonin Reuptake Inhibitor

Paxil, Zoloft, Prozac, Celexa, Lexapro, Luvox, Cipramil, Emocal, Serpam, Seropram, Cipralex, Esteria, Fontex, Seromex, Seronil, Sarafem, Fluctin, Faverin, Seroxat, Aropax, Deroxat, Rexetin, Xentor, Paroxat, Lustral, Serlain, Dapoxetine

Selective Serotonin Reuptake Enhancers

Stablon, Coaxil, Tatinol

Serotonin-Norepinephrine Reuptake Inhibitors (SNRIs)

Effexor, Pristiq, Meridia, Serzone, Dalcipran, Despramine, Duloxetine

Tricylic Antidepresseants (TCAs)

Elavil, Endep, Tryptanol, Trepiline, Asendin, Asendin, Defanyl, Demolox, Moxadil, Anafranil, Norpramin, Pertofrane, Prothiadin, Thanden, Adapin, Sinequan, Trofranil, Janamine, Gamanil, Aventyl, Pamelor, Opipramol, Vivactil, Rhotrimine, Surmontil

*Please refer to prescribing physician for nutritional interactions with any medications you maybe taking.